पुस्तिका को तब तक न खोलें जब तक कहा न जाये प्रश्न पुस्तिका क्रमांक : Roll No.: Question Booklet No. : बुकलेट सीरीज Course Name: Microbiology and Bioinformatics **Booklet Series** OMR Sheet No. :-----

निर्धारित समय : 2 घण्टे Time Allowed: 2 Hours **AUPGCET-2024**

अधिकतम अंक : 100 Maximum Marks: 100

प्रश्नों के उत्तर देने से पहले नीचे लिखे अनुदेशों को ध्यान से पढ़ लें। Read the following instructions carefully before you begin to answer the questions.

अभ्यर्थियों के लिए अनुदेश :

- 1. इस पुस्तिका में **कुल** 100 प्रश्न हैं।
- 2. सभी प्रश्न अनिवार्य हैं तथा सबके अंक समान हैं। गलत उत्तर के लिए ऋणात्मक मूल्यांकन नहीं होगा।
- 3. प्रश्नों के उत्तर देने से पहले आप इस पुस्तिका की जाँच करके देख लें कि इसमें पूरे पृष्ठ (कवर रहित) हैं तथा कोई पृष्ठ पूर्णरूपेण अथवा आंशिक रूप से छपा नहीं है। यदि आप इस पुस्तिका में कोई त्रुटि पाएँ तो तत्काल इसके बदले दूसरी प्रश्न पुस्तिका ले लें।
- 4. कक्ष निरीक्षक द्वारा आपको ओ.एम.आर. उत्तर पत्रक अलग से दिया जायेगा। प्रश्नों के उत्तर वास्तव में प्रारम्भ करने से पहले आप उत्तर पत्रक में निर्धारित स्थान पर अपना आवेदन संख्या, प्रश्न पुस्तिका क्रमांक, बुकलेट सीरीज तथा अन्य विवरण अवश्य भरें। ऐसा न करने पर आपके उत्तर पत्रक को जाँचा नहीं जायेगा और आपको शुन्य अंक दे दिया जायेगा।
- 5. परीक्षा भवन छोडने से पहले अभ्यर्थी को ओ.एम.आर. उत्तर पत्रक और प्रश्न-पुस्तिका कक्ष निरीक्षक को जमा करना है।
- 6. अशुद्ध/गलत मुद्रित प्रश्न के लिए सबको उस प्रश्न के पूर्ण अंक प्रदान किये जायेंगे।
- 7. ओ.एम.आर. पत्रक में उत्तर अंकित करने की विधि तथा आवश्यक अनुदेश इस पुस्तिका के पीछे छपे हैं। उत्तर अंकित करने के लिए इन अनुदेशों को सावधानी पूर्वक पढ़ लें तथा उनका अनुपालन करें।
- 8. उपर के अनुदेशों में से किसी एक का भी अनुपालन न करने पर अभ्यर्थी की उत्तर पुस्तिका का मूल्यांकन नहीं किया जायेगा।

Instructions for Candidates :

- 1. This Booklet contains 100 questions in all.
- All questions are compulsory and carry equal marks. There won't be any negative marking for Wrong Answers.
- Before you start answering the questions you must check up this Booklet and ensure that it contains all printed (without cover) pages and none of them is fully/partly blank. If you find any defect in this booklet, you must get it replaced immediately.
- 4. You will be supplied the OMR Answer Sheet separately by the invigilator. You must complete the details of Application No., Test Booklet No., Booklet Series and other informations before you actually start answering the questions, failing which your Answer Sheet shall not be evaluated and you will be awarded 'ZERO' mark.
- 5. Before leaving the examination hall candidates must submit the OMR answer sheet and question booklet to the Invigilator.
- 6. Every candidate will be awarded full marks for the corresponding Wrong/Misprint questions.
- 7. The manner/instruction to mark the OMR Answer Sheet has been printed at the back of this Booklet. Read it carefully and comply with.
- 8. In case of failure to comply with any of the above instructions the Answer Sheet of the candidate shall not be evaluated.

DO NOT OPEN THE UNTIL YOU ARE TOLD

Signature of the Candidate Name of the Candidate Date:

Signature of Invigilator

Rough Work

- 1. What is Microbiology?
 - (A) Study of molecules that are visible to human eyes
 - (B) Study of animals and their family
 - (C) Study of organisms that are not visible to naked eyes
 - (D) Study of microscope
- Who is known as the father of Microbiology?
 - (A) Edwin John Butler
 - (B) Ferdinand Cohn
 - (C) Robert Koch
 - (D) Antoni von Leeuwenhoek
- 3. Which microorganism (s) among the following perform photosynthesis by utilizing light?
 - (A) Cyanobacteria, Fungi and Viruses
 - (B) Viruses
 - (C) Cyanobacteria
 - (D) Fungi
- 4. Which part of the compound microscope helps in gathering and focusing light rays on the specimen to be viewed?
 - (A) Condenser lens
 - (B) Magnifying lens
 - (C) Objective lens
 - (D) Eyepiece lens

- 5. Which of the following are produced by microorganisms?
 - (A) Alcoholic beverages
 - (B) Fermented dairy products
 - (C) Breads
 - (D) All of the mentioned
- 6. What is the approximate size of the bacterial cell?
 - (A) 1mm in diameter
 - (B) 0.5 to 1.0 micrometer in diameter
 - (C) 2mm in diameter
 - (D) 2 micrometer in diameter
- 7. The greatest resolution in light microscopy can be obtained with
 - (A) Shortest wavelength of visible light used
 - (B) Longest wavelength of visible light used
 - (C) An objective with minimum numerical aperture
 - (D) Shortest wavelength of visible light used and an objective with the maximum numerical aperture
- 8. Which of the following is used in electron microscope?
 - (A) Electron beams and magnetic fields
 - (B) Light waves
 - (C) magnetic fields
 - (D) electron beams

- 9. Which among the following are "Spi-rochetes"?
 - (A) Streptomyces sp.
 - (B) Treponema Pallidum
 - (C) Spirillum volutans
 - (D) Corynebacterium diphtheriae
- 10. Bacteria having clusters of flagella at both poles of cells are known as?
 - (A) Amphitrichous
 - (B) Monotrichous
 - (C) Peritrichous
 - (D) Lophotrichous
- 11. The general mechanism is that an enzyme acts by:
 - (A) Reducing the activation energy
 - (B) Increasing activation energy
 - (C) Decreasing pH value
 - (D) Increasing the pH value
- 12. The coenzyme is:
 - (A) Often a metal
 - (B) always a protein
 - (C) Often a vitamin
 - (D) always an inorganic compound
- 13. An enzyme that joins the ends of two strands of nucleic acid is:
 - (A) Polymerase
 - (B) ligase
 - (C) Synthetase
 - (D) Helicase

- 14. Which of the following is produced with the combination of apoenzyme and coenzyme:
 - (A) Holoenzyme
 - (B) Enzyme substrate complex
 - (C) Prosthetic group
 - (D) Enzyme product complex
- 15. Blocking of enzyme action by blocking its active site is called as:
 - (A) Allosteric inhibition
 - (B) Feedback inhibition
 - (C) Competitive inhibition
 - (D) Non-competitive inhibition
- 16. Enzyme catalysing rearrangement of atomic grouping without altering molecular weight or number of atom is:
 - (A) Ligase
 - (B) Isomerase
 - (C) Oxidoreductase
 - (D) Hydrolase
- 17. The enzyme was first isolated and purified in the form of crystals:
 - (A) Urease
 - (B) Pepsin
 - (C) Amylase
 - (D) Ribonuclease
- 18. Restriction enzymes were discovered by
 - (A) Smith and Nathans
 - (B) Alexander Fleming
 - (C) Berg
 - (D) None

- Bacteria protect themselves from viruses by fragmenting viral DNA with
 - (A) Ligase
 - (B) Endonuclease
 - (C) Exonuclease
 - (D) Gyrase
- 20. Klenow fragment is derived from
 - (A) DNA Ligase
 - (B) DNA Pol-I
 - (C) DNA Pol-II
 - (D) Reverse Transcriptase
- 21. Southern blotting is
 - (A) Attachment of probes to DNA fragments
 - (B) Transfer of DNA fragments from electrophoretic gel to a nitrocellulose sheet
 - (C) Comparison of DNA fragments to two sources
 - (D) Transfer of DNA fragments to electrophoretic gel from cellulose membrane
- 22. Elisa is
 - (A) Using radiolabelled second antibody
 - (B) Usage of RBCs
 - (C) Using complement-mediated cell lysis
 - (D) Addition of substrate that is converted into a coloured end product

- 23. The Golden Rice variety is rich in
 - (A) Vitamin C
 - (B) B-carotene and ferritin
 - (C) Biotin
 - (D) Lysine
- 24. The DNA fragments have sticky end due to
 - (A) Endonuclease
 - (B) Unpaired bases
 - (C) Calcium ions
 - (D) Free methylation
- 25. Plasmids are used as cloning vectors for which of the following reasons
 - (A) Can be multiplied in culture
 - (B) Self-replication in bacterial cells
 - (C) Can be multiplied in laboratories with the help of enzymes
 - (D) Replicate freely outside bacterial cells
- 26. The human genome project was launched in the year
 - (A) 1980
 - (B) 1973
 - (C) 1990
 - (D) 1989
- 27. The vaccines prepared through recombinant DNA technology are
 - (A) Third generation vaccines
 - (B) First generation vaccines
 - (C) Second- Generation vaccines
 - (D) None

- 28. Which of the following is NOT a criterion for the choice of an organism?
 - (A) The organism must be genetically stable
 - (B) The organism must be able to produce a high yield of product
 - (C) The optimum temperature for the growth of an organism must be above 50°C
 - (D) The organism must be able to grow in an easily available nutrient medium
- 29. Full-form of ATCC is _____
 - (A) American Type Culture Collection
 - (B) Automatic Type Counter & Classifier
 - (C) American Type Counter Collection
 - (D) American Type Classifier and Collection
- 30. Which of the following method is not used in isolation and screening of desired microorganisms?
 - (A) Crowded plate technique
 - (B) Auxanographic technique
 - (C) Enrichment Culture Technique
 - (D) Hanging Drop technique

- 31. The screening is isolation and detection of microorganisms of interest
 - (A) True
 - (B) False
 - (C) Both (A) & (B)
 - (D) None of these
- 32. Which of the following method is useful for the isolation and detection of organisms having the ability to produce antibiotics?
 - (A) Crowded plate technique
 - (B) Auxanographic technique
 - (C) Enrichment Culture technique
 - (D) Indicator dye technique
- 33. Which of the following shows the zone of inhibition when a particular organism is grown on a Petri plate?
 - (A) Growth Factor producers
 - (B) Antibiotic producers
 - (C) Organic acid producers
 - (D) Amino acid producer
- 34. The prototrophs are the organisms which are not capable of synthesizing all growth requirements for themselves.
 - (A) True
 - (B) False
 - (C) Both (A) & (B)
 - (D) None of these

35.	A test tube contain 9ml distilled wa-	8.	The is a vessel that		
	ter. 1 g of soil is added to that test		contains all the parts and conditions		
	tube and the soil is allowed to settle		necessary for the growth of desired		
	down. Now, 1ml of that stock solu-		microorganisms.		
	tion is taken and transferred to the		(A) Impeller		
	2nd test tube containing 9ml of dis-		(B) Sparger		
	tilled water. The process is repeated		(C) Bioreactor		
	several times until the requirement		(D) Baffles		
	is met. For this dilution, it may be 3	9.	The jacketed vessel is more stable		
	said that the solution was diluted		than the non-Jacketed vessel.		
			(A) True		
	(A) 100-fold		(B) False		
	(B) 10-fold		(C) Both (A) & (B)		
	(C) 1000-fold		(D) None of these		
	(D) 2-fold 4	0.	The process of finding a particu-		
36.	Which of the following technique		lar member of the library which is		
	uses sound waves for cell disrup-		having some defined properties is		
	tion?		called as		
	(A) Homogenizaton		(A) searching		
	(B) Sonication		(B) Screening		
	(C) Blender		(C) locating		
	(D) Mortar and Pestle		(D) narrowing		
37.	Which of the following is not the 4	1.	Nitrocellulose membranes are less		
	product of cell disruption?		sensitive than nylon membranes.		
	(A) DNA		(A) True		
	(B) RNA		(B) False		
	(C) Protein		(C) Both (A) & (B)		
	(D) Water		(D) None of these		
Micr	obiology & Bioinformatics\2024\A [7]		P.T.O.		

- 42. Which of the following statement is false about DNA?
 - (A) Located in chromosomes
 - (B) Carries genetic information from parent to offspring
 - (C) Abundantly found in cytoplasm
 - (D) There is a precise correlation between the amount of DNA and number of sets of chromosome per cell
- 43. Which of the following function of DNA is necessary for the purpose of evolution?
 - (A) Replication
 - (B) Transcription
 - (C) Translation
 - (D) Mutation
- 44. According to the phenotypic characters of pneumococcus considered in Griffith's experiment of transformation, which of the following statements are correct?
 - (i) Presence of slime layer
 - (ii) Presence of capsule
 - (iii) Absence of capsule
 - (iv) Type of adhesion
 - (v) Molecular makeup of capsule
 - (A) (i), (ii), (iii)
 - (B) (ii), (iii), (iv)
 - (C) (ii), (iii), (v)
 - (D) (i), (iv), (v)

- 45. Which of the following combination is a correct observation for the transformation experiment performed by Griffith?
 - (A) Type IIIS (living)+mouse=dead
 - (B) Type IIIS (heat killed)
 +mouse=dead
 - (C) Type IIR (living)+mouse=dead
 - (D) Type IIIS (heat killed)+type

 IIR (living)+mouse=living
 - 46. Fredrick Griffith's experiment involving Streptococcus pneumonia lead to
 the discovery of
 - (A) DNA as genetic material
 - (B) RNA as genetic material
 - (C) Protein as genetic material
 - (D) Transforming principle
 - 47. Define results proving DNA to be genetic material was given by _____
 - (A) Fredrick Griffith
 - (B) Hershey and Chase
 - (C) Avery, Macleod and MacCarty
 - (D) Meselson and Stahl

- 48. Which of the following statements regarding the mechanism of transformation in Bacillus subtilis is false?
 - (A) A competent bacteria contains a DNA receptor/translocation complex
 - (B) While translocation of exogenous DNA, both strands gets passage into the cell
 - (C) While translocation of exogenous DNA, only one strand gets passage into the cell
 - (D) The exogenous DNA recombines and incorporates itself in the chromosome of the recipient cell.
- 49. What were the main criteria taken under consideration for the experiment by Hershey and Chase?
 - (A) DNA contains phosphorus, protein contains sulfur
 - (B) Protein contains phosphorus,
 DNA contains sulfur
 - (C) Both DNA and protein contains phosphorus and not sulphur
 - (D) Both DNA and protein contains sulfur and not phosphorus
- 50. What combination of radiolabelling is correct in case of Hershey and Chase's demonstration of DNA as genetic material in T2 bacteriophage?
 - (A) 31P, 35S
 - (B) 31P, 32S
 - (C) 31P, 14C
 - (D) 31P, 12C

- 51. Antigens are administrated in
 - (A) Active immunization
 - (B) Passive immunization
 - (C) Both (A) & (B)
 - (D) None of the above
- 52. Which among the following are asexual spores?
 - (A) Blastospores
 - (B) Ascospores
 - (C) Basidiospores
 - (D) Zygospores
- 53. Vaccines prepared from one microbe and used against the same is known as
 - (A) Homologous
 - (B) Cellular
 - (C) Heterologous
 - (D) Subunit
- 54. The reaction between antigen and antibody is
 - (A) Non-specific
 - (B) Specific
 - (C) Highly specific
 - (D) Depends on environment
- 55. The part of antigen which combines with antibody is called
 - (A) Epitope
 - (B) Antigenic determinant
 - (C) Both (A) & (B)
 - (D) Paratope
- 56. Acridine orange is which type of mutagen?
 - (A) Chemical compounds
 - (B) Transposons
 - (C) base analog
 - (D) intercalating agents

- 57. The overall capacity of antibody to combine with mulivalent antigen is known as-
 - (A) Affinity
 - (B) Avidity
 - (C) Specificity
 - (D) Stereo specificity
- 58. Lipopolysaccharide in cell wall is characteristic of?
 - (A) Algae
 - (B) Fungi
 - (C) Gram-negative bacteria
 - (D) Gram-positive bacteria
- 59. The term anaphylaxis was given by
 - (A) Burnet
 - (B) Richard Petri
 - (C) Richet
 - (D) Gell and Coomb
- 60. Rhogam helps in prevention
 - (A) Types I Hypersensitivity
 - (B) Types II Hypersensitivity
 - (C) Types III Hypersensitivity
 - (D) Types IV Hypersensitivity
- 61. Self-antigens are also known as
 - (A) Fetal Antigen
 - (B) Neoantigen
 - (C) Auto-antigen
 - (D) None of the above
- 62. Which of the following are true for cytoplasmic membrane?
 - (A) site of generation of protonmotive force
 - (B) hydrophilic barrier
 - (C) hydrophobic barrier
 - (D) hydrophobic barrier and site of generation of protonmotive force

- 63. In monoclonal antibody technology, tumor cells that can replicate endlessly are fused with mammalian cells that produce an antibody. The result of this cell fusion is a:
 - (A) hybridoma
 - (B) myeloma
 - (C) natural killer cell
 - (D) lymphoblast
- 64. Which of the following is true for autoimmune disease?
 - (A) Elevated amount of immunoglobulin is produced
 - (B) The disease can be passively transferred
 - (C) Immunoglobulins or their products are deposited at the site of reaction
 - (D) All of the above
- 65. The respiratory chain of bacteria is associated with the _____
 - (A) mitochondrial membrane
 - (B) Cytoplasmic membrane
 - (C) Cell wall
 - (D) Cytoplasm
- 66. Which organism reside inside the cell-
 - (A) Leishmania
 - (B) Trypanosoma cruzi
 - (C) Mycobacterium tuberculosis
 - (D) All of the above

- 67. Components of innate immunity are:
 - (A) Skin
 - (B) Mucus
 - (C) Tears
 - (D) All the above
- 68. Among the following which can directly react with oxygen?
 - (A) Cytochrome c
 - (B) Cytochrome c₁
 - (C) Cytochrome a
 - (D) Cytochrome a₃
- 69. Attributes of adaptive immunity are:
 - (A) Specificity
 - (B) Diversity
 - (C) Memory
 - (D) All of the above
- 70. Which cell belongs to adaptive immunity:
 - (A) Macrophages
 - (B) T cell
 - (C) B cell
 - (D) Both (B) & (C)
- 71. In photosynthesis by green plants, algae, cyanobacteria which of the following acts as terminal electron acceptor?
 - (A) Water
 - (B) Oxygen
 - (C) NADP+
 - (D) FAD+

- 72. Dengue fever is transmitted by which of the following mosquitoes?
 - (A) Anopheles
 - (B) Aedes
 - (C) Culex
 - (D) Mansoni
- 73. K_{eq} is greater than 1.0 depending on which of the following conditions?
 - (A) Standard free energy change is negative
 - (B) Standard free energy change is positive
 - (C) Chemical reaction proceeds in reverse direction
 - (D) Products are not formed
- 74. Rabies virus is shaped like a
 - (A) Sphere
 - (B) Rectangle
 - (C) Spiral
 - (D) Bullet
- 75. Spores formed by sexual reproduction on a club-shaped structure are
 - (A) Ascospores
 - (B) Zygospores
 - (C) Basidiospores
 - (D) Oospores
- 76. Which part of the compound microscope helps in gathering and focusing light rays on the specimen to be viewed?
 - (A) Condenser lens
 - (B) Magnifying lens
 - (C) Objective lens
 - (D) Eyepiece lens

77.	Wha	at is the approximate size of the	80.	Glycolysis can occur in
	bact	terial cell?		(A) anaerobic cells
	(A)	1 mm in diameter		(B) aerobic cells
	(B)	0.5 to 1.0 micrometer in diam-		(C) neither aerobic and anaerobic
		eter	81.	cells
	(C)	2mm in diameter		(D) both aerobic and anaerobic
	(D)	2 micrometer in diameter		cells
78.	The	greatest resolution in light mi-		Which of the following enzyme re-
	croscopy can be obtained with			moves the RNA primer with its 5'
	(A)	Shortest wavelength of visible		-nuclease activity?
		light used		(A) DNA polymerase III
	(B) Longest wavelength of vis	Longest wavelength of visible		(B) RNA polymerase
		light used		(C) DNA polymerase I
	(C)	An objective with minimum	82.	(D) DNA polymerase II
	numerical apertu	numerical aperture		·
		Shortest wavelength of visi-		of
		ble light used and an objective		(A) Phospholipids
		with the maximum numerical		(B) teichoic acid(C) nucleotides
		aperture		(D) All of the mentioned
79.		respiratory chain of bacteria is		
	associated with the		reus is which type of bacteria?	
	(A)	(A) Cytoplasmic membrane		(A) Mesophile
	(B)	Cell wall		(B) Mesophile and psychrophile
	(C)	cytoplasm		(C) Psychrophile
	(D)	mitochondrial membrane		(D) Thermophile
Micro	biolo	ogy & Bioinformatics\2024\A [12	:]	•

84.	Growth of bacteria or microorgan- 8	39.	What does a viral DNA becomes af-	
	isms refer to		ter being associated with the bacte-	
	(A) Changes in the total population(B) an increase in number of cells		rial chromosome?	
	(C) an increase in the size of an in-		(A) plasmid	
	dividual organism (D) an increase in the mass of an		(B) plaque	
05	individual organism		(C) prophage	
	Which of the following method can be used to determine the number of bacteria quantitatively?		(D) gene	
			Which of the following inhibits DNA	
	(A) Spread-plate		replication?	
	(B) Streak-plate		(A) x-ray	
	(C) Pour-plate and spread plate		(B) gamma rays	
	(D) Pour plate			
	What are the cell wall structural		(C) UV light	
	components of fungi?		(D) cathode rays	
	(A) peptidoglycan	91.	Which was the first disease for	
	(B) cellulose (C) chitin		which a chemotherapeutic agent	
	(D) chitin, cellulose, or hemicellu-		was used?	
	lose			
87.	Chrysolaminarin is the reserved		(A) Small pox	
1	food of		(B) Syphilis	
	(A) Bacillariophycophyta		(C) AIDS	
	(B) Xanthophycophyta		(D) Malaria	
	(C) Chlorophycophyta (D) Phagaphyraghyta	0.2		
	(D) Phaeophycophyta Protozoa that eat other organisms	92.	,	
	are known as		against	
	(A) parasitic		(A) Gram-negative organisms	
	(B) mutualistic		(B) Gram-positive organisms	
	(C) holozoic		(C) Spirochetes	
	(D) saprophytic			
Micro	obiology & Bioinformatics\2024\A [13]		(D) Mycoplasmas P.T.O.	

93.	Celli	ulose is degraded to cellobiose	9/.	In v	which of the following treatment
	by t	he enzyme		invo	lve oxidation of organic constit-
	(A)	cellulose dehydrogenase		uen	ts of the wastewater?
	(B)	hexokinase		(A)	Final treatment
	(C)	beta-glucosidase		(B)	Advanced treatment
	(D)	cellulase		(C)	Secondary treatment
94.	Sulp	phates are reduced to hydrogen		(D)	Primary treatment
	sulp	hide by	98.	Bact	terial cell grown on hydrocarbon
	(A)	Thiobacillus thiooxidans		was	tes from the petroleum industry
	(B)	Rhodospirillum		are	a source of
	(C)	Desulfotomaculum sp.		(A)	fats
	(D)	Photosynthetic sulfur bacteria		(B)	vitamins
95.	The	microorganisms from lakes and		(C)	Carbohydrates
	rive	rs can grow at a salt concentra-		(D)	Proteins
	tion	of	99.	Whi	ch of the following microorganism
	(A)	above 1 percent		prod	duces dextran?
	(B)	below 1 percent		(A)	Leuconostoc mesenteroides
	(C)	2.5 to 4 percent		(B)	Streptomyces olivaceus
	(D)	5 percent		(C)	Bacillus thuringiensis
96.	In re	egions of the estuary that are nu-		(D)	Bacillus polymyxa
	tritio	onally poor, it is more likely to find	100.	Whi	ch of the following yeast can be
	whic	ch of the following organisms?		use	d to produce microbial protein?
	(A)	Viruses		(A)	Eremothecium ashbyi
	(B)	Coliforms		(B)	Candida utilis
	(C)	fecal streptococci		(C)	Saccharomyces cerevisiae
	(D)	appendaged bacteria		(D)	Candida milleri
Microbiology & Bioinformatics\2024\A [14]					

Rough Work

ओ.एम.आर. पत्रक में उत्तर अंकित करने के लिए आवश्यक अनुदेश

- 1. यथा सम्भव केवल काले/नीले बॉल प्वाइंट पेन का प्रयोग करें।
- 2. गोले को अत्यधिक सावधानी पूर्वक काला/नीला करें क्योंकि बाद में सुधार करना सम्भव नहीं है।
- 3. प्रत्येक वस्तुनिष्ठ प्रश्न के बाद चार उत्तर विकल्प (A), (B), (C) तथा (D) दिये गये हैं। प्रत्येक दशा में उनमें से एक विकल्प ही उस प्रश्न का सही उत्तर होगा। इनमें से सही उत्तर-विकल्प चुनकर ओ.एम.आर.पत्रक में सम्बन्धित प्रश्न संख्या के सामने वाले सही गोल खाने को बॉल प्वाइंट पेन से काला/नीला किया जायेगा।
- 4. यदि आप ओ.एम.आर. उत्तर-पत्रक में किसी प्रश्न के सामने एक से अधिक गोलाकार खाने भरेंगे तो आपका उत्तर गलत माना जायेगा।
- 5. ओ.एम.आर. उत्तर-पत्रक में वस्तुनिष्ठ के उत्तरों के अलावा अन्य सभी वांछित विवरण भी आवश्यक रूप से भरे जाने हैं। इसके लिये उपयुक्त गोलों को काला/नीला करें।
- 6. यदि दिये गये निर्देशानुसार आप अपेक्षित गोलों को काला/नीला नहीं करते हैं तो आपके उत्तर-पत्रक का मुल्यांकन नहीं किया जायेगा।
- 7. ओ.एम.आर. पत्रक को कहीं से भी न मोड़ें और न ही निर्धारित स्थान के अतिरिक्त किसी भी अन्य स्थान पर कोई भी निशान लगायें अन्यथा आपके उत्तर-पत्रक की जाँच सम्भव नहीं होगी।
- 8. निर्धारित स्थानों के अलावा अन्यत्र किसी स्थान पर न तो कोई निशान लगायें और न ही अनुक्रमांक या नाम लिखें. अन्यथा आपकी प्रवेश परीक्षा निरस्त कर दी जायेगी।
- 9. ओ.एम.आर. उत्तर-पत्रक में वस्तुनिष्ठ प्रश्नों के उत्तर देने के लिये गोलाकार खाने को सही-सही भरने की विधि निम्न प्रदर्शित उदाहरण के अनुसार होगीः

सही तरीका : (A)









INSTRUCTIONS FOR MARKING THE ANSWERS IN THE OMR ANSWER SHEET

- 1. Preferably use Black/Blue Ball Point Pen.
- 2. Darken the circle very carefully, because there is no scope for rectification after-
- 3. Each objective type question has 4 (four) alternatives (A), (B), (C) and (D). In any case one and only one alternative will be the correct answer. Choose the right alternative and darken the appropriate circle in the OMR answer sheet in front of the related question.
- 4. If you darken more than one circle in front of any question in your OMR Sheet, your answer will be treated as wrong.
- 5. In OMR answer sheet you must fill up all other required informations and for this you must darken the appropriate circle. Do this very carefully.
- 6. Your answer sheet will not be evaluated if you fail to fill up the required circles correctly as per given directions.
- 7. Do not fold OMR answer sheet and do not make any stray marks on it, otherwise it won't be possible to evaluate it.
- 8. Do not make any stray mark and do not write your roll number or name except in the space provided for the purpose, otherwise your examination will be cancelled.
- 9. The right method to darken the circle to answer the objective type questions in OMR sheet is as shown below:

Right method:







